


# FUEL LID LOCK CONTROL


## COMPONENTS

for Power Seat Type




[N\*m (kgf\*cm, ft.\*lbf)] : Specified torque

for Manual Seat Type




**N\*m (kgf\*cm, ft.\*lbf)** : Specified torque




[N\*m (kgf\*cm, ft.\*lbf)] : Specified torque


IR



[N\*m (kgf\*cm, ft.\*lbf)] : Specified torque




IR




**N\*m (kgf\*cm, ft.\*lbf)** : Specified torque

IR




**N\*m (kgf\*cm, ft.\*lbf)** : Specified torque

w/o Rear No. 2 Seat




**[N\*m (kgf\*cm, ft.\*lbf)]** : Specified torque

w/ Rear No. 2 Seat




**N\*m (kgf\*cm, ft.\*lbf)** : Specified torque

w/o Rear No. 2 Seat




[N\*m (kgf\*cm, ft.\*lbf)] : Specified torque

w/ Rear No. 2 Seat




**N\*m (kgf\*cm, ft.\*lbf)** : Specified torque


w/o Rear No. 2 Seat



w/ Rear No. 2 Seat



IR




## REMOVAL


1. **DISCONNECT CABLE FROM NEGATIVE BATTERY TERMINAL**  
**CAUTION:**  
Wait at least 90 seconds after disconnecting the cable from the negative (-) battery terminal to prevent airbag and seat belt pretensioner activation.
2. **REMOVE FRONT SEAT ASSEMBLY LH**  
(a) Remove the front seat.  
for Manual Seat (see page [SE-11](#))  
for Power Seat (see page [SE-27](#))
3. **REMOVE FRONT SEAT ASSEMBLY RH**  
(a) Remove the front seat.  
for Manual Seat (see page [SE-11](#))  
for Power Seat (see page [SE-27](#))
4. **REMOVE REAR NO. 1 SEAT ASSEMBLY LH**  
(a) Remove the rear No. 1 seat (see page [SE-45](#)).
5. **REMOVE REAR NO. 1 SEAT ASSEMBLY RH**  
(a) Remove the rear No. 1 seat (see page [SE-80](#)).
6. **REMOVE NO. 1 CONSOLE UPPER PANEL GARNISH**  
(See page [IP-17](#))
7. **REMOVE NO. 2 CONSOLE UPPER PANEL GARNISH**  
(See page [IP-18](#))
8. **REMOVE UPPER CONSOLE PANEL SUB-ASSEMBLY**  
(See page [IP-18](#))
9. **REMOVE SWITCH BASE** (See page [IP-18](#))
10. **REMOVE CONSOLE CUP HOLDER BOX** (See page [IP-18](#))
11. **REMOVE UPPER REAR CONSOLE PANEL SUB-ASSEMBLY** (See page [IP-19](#))
12. **REMOVE CONSOLE REAR END PANEL** (See page [IP-19](#))
13. **REMOVE NO. 1 INSTRUMENT PANEL BRACKET COVER INNER LH** (See page [IP-19](#))
14. **REMOVE NO. 1 INSTRUMENT PANEL BRACKET COVER INNER RH** (See page [IP-19](#))
15. **REMOVE REAR CONSOLE BOX SUB-ASSEMBLY**  
(See page [IP-20](#))
16. **REMOVE FRONT DOOR SCUFF PLATE LH** (See page [IR-26](#))
17. **REMOVE FRONT DOOR SCUFF PLATE RH** (See page [IR-26](#))
18. **REMOVE COWL SIDE TRIM BOARD LH** (See page [IR-26](#))
19. **REMOVE COWL SIDE TRIM BOARD RH** (See page [IR-26](#))

20. REMOVE FRONT DOOR OPENING TRIM WEATHERSTRIP LH
21. REMOVE FRONT DOOR OPENING TRIM WEATHERSTRIP RH
22. REMOVE REAR DOOR SCUFF PLATE LH (See page [IR-29](#))
23. REMOVE REAR DOOR SCUFF PLATE RH (See page [IR-29](#))
24. REMOVE REAR DOOR OPENING TRIM WEATHERSTRIP LH
25. REMOVE REAR DOOR OPENING TRIM WEATHERSTRIP RH
26. REMOVE LOWER CENTER PILLAR GARNISH LH (See page [IR-29](#))
27. REMOVE LOWER CENTER PILLAR GARNISH RH (See page [IR-30](#))
28. REMOVE PACKAGE TRAY TRIM POCKET SUB-ASSEMBLY (w/o Rear No. 2 Seat)
29. REMOVE TONNEAU COVER ASSEMBLY (w/o Rear No. 2 Seat)
30. REMOVE REAR FLOOR NO. 1 BOARD (w/o Rear No. 2 Seat)
31. REMOVE DECK BOARD ASSEMBLY (w/o Rear No. 2 Seat)
32. REMOVE REAR NO. 2 SEAT ASSEMBLY LH (w/ Rear No. 2 Seat)
  - (a) Remove the rear No. 2 seat (see page [SE-109](#)).
33. REMOVE REAR NO. 2 SEAT ASSEMBLY RH (w/ Rear No. 2 Seat)
  - (a) Remove the rear No. 2 seat (see page [SE-109](#)).
34. REMOVE REAR FLOOR NO. 3 BOARD
35. REMOVE REAR FLOOR NO. 2 BOARD
36. REMOVE REAR FLOOR NO. 1 MAT SUPPORT SIDE PLATE (See page [IR-31](#))
37. REMOVE BACK DOOR WEATHERSTRIP
38. REMOVE REAR FLOOR FINISH PLATE (See page [IR-31](#))
39. REMOVE REAR DECK TRIM COVER LH (w/ Rear No. 2 Seat) (See page [IR-31](#))
40. REMOVE REAR DECK TRIM COVER LH (w/ Rear No. 2 Seat) (See page [IR-31](#))
41. REMOVE RECLINING REMOTE CONTROL LEVER BEZEL LH (w/o Rear No. 2 Seat) (See page [SE-45](#))


42. REMOVE RECLINING REMOTE CONTROL LEVER BEZEL RH (w/o Rear No. 2 Seat) (See page [SE-80](#))
43. REMOVE TETHER ANCHOR BRACKET SUB-ASSEMBLY (w/o Rear No. 2 Seat) (See page [IR-32](#))
44. REMOVE DECK TRIM SIDE PANEL ASSEMBLY LH (w/o Rear No. 2 Seat) (See page [IR-32](#))
45. REMOVE DECK TRIM SIDE PANEL ASSEMBLY LH (w/ Rear No. 2 Seat) (See page [IR-32](#))
46. REMOVE DECK TRIM SIDE PANEL ASSEMBLY RH (w/o Rear No. 2 Seat) (See page [IR-33](#))
47. REMOVE DECK TRIM SIDE PANEL ASSEMBLY RH (w/ Rear No. 2 Seat) (See page [IR-34](#))
48. REMOVE FRONT FLOOR CARPET ASSEMBLY
  - (a) Partially remove the floor carpet.  
HINT:  
It is not necessary to fully remove the floor carpet.  
Partially remove it so that the lock control cable can be removed in a later step.
49. REMOVE FUEL LID LOCK CONTROL CABLE SUB-ASSEMBLY
  - (a) Remove the bolt and fuel lid lock open lever.

(b) Remove the tape and cable from the clamps as shown in the illustration.






(c) Turn the lock retainer counterclockwise and remove the cable from the retainer.



## 50. REMOVE FUEL FILLER OPENING LID LOCK RETAINER

(a) Turn the lock retainer clockwise and remove the lock retainer as shown in the illustration.



## INSTALLATION

### 1. INSTALL FUEL FILLER OPENING LID LOCK RETAINER


(a) Install the lock retainer and turn it counterclockwise as shown in the illustration.

### 2. INSTALL FUEL LID LOCK CONTROL CABLE SUB-ASSEMBLY


(a) Install the cable and turn it clockwise as shown in the illustration.

(b) Install the fuel lid lock open lever with the bolt.

**Torque: 8.0 N\*m (82 kgf\*cm, 71 in.\*lbf)**



(c) Install the cable to the clamps as shown in the illustration.



4. INSTALL DECK TRIM SIDE PANEL ASSEMBLY RH  
(w/ Rear No. 2 Seat) (See page [IR-34](#))
5. INSTALL DECK TRIM SIDE PANEL ASSEMBLY RH  
(w/o Rear No. 2 Seat) (See page [IR-53](#))
6. INSTALL DECK TRIM SIDE PANEL ASSEMBLY LH (w/  
Rear No. 2 Seat) (See page [IR-32](#))
7. INSTALL DECK TRIM SIDE PANEL ASSEMBLY LH (w/  
o Rear No. 2 Seat) (See page [IR-52](#))
8. INSTALL TETHER ANCHOR BRACKET SUB-  
ASSEMBLY (w/o Rear No. 2 Seat) (See page [IR-54](#))
9. INSTALL RECLINING REMOTE CONTROL LEVER  
BEZEL RH (w/o Rear No. 2 Seat) (See page [SE-105](#))
10. INSTALL RECLINING REMOTE CONTROL LEVER  
BEZEL LH (w/o Rear No. 2 Seat) (See page [SE-73](#))
11. INSTALL REAR DECK TRIM COVER RH (w/ Rear No.  
2 Seat) (See page [IR-55](#))
12. INSTALL REAR DECK TRIM COVER LH (w/ Rear No.  
2 Seat) (See page [IR-55](#))
13. INSTALL REAR FLOOR FINISH PLATE (See page [IR-  
55](#))
14. INSTALL BACK DOOR WEATHERSTRIP
15. INSTALL REAR FLOOR NO. 1 MAT SUPPORT SIDE  
PLATE (See page [IR-55](#))
16. INSTALL REAR FLOOR NO. 2 BOARD
17. INSTALL REAR FLOOR NO. 3 BOARD
18. INSTALL REAR NO. 2 SEAT ASSEMBLY RH (w/ Rear  
No. 2 Seat)  
(a) Install the rear No. 2 seat (see page [SE-121](#)).
19. INSTALL REAR NO. 2 SEAT ASSEMBLY LH (w/ Rear  
No. 2 Seat)  
(a) Install the rear No. 2 seat (see page [SE-121](#)).
20. INSTALL DECK BOARD ASSEMBLY (w/o Rear No. 2  
Seat)
21. INSTALL REAR FLOOR NO. 1 BOARD (w/o Rear No.  
2 Seat)
22. INSTALL TONNEAU COVER ASSEMBLY (w/o Rear  
No. 2 Seat)
23. INSTALL PACKAGE TRAY TRIM POCKET SUB-  
ASSEMBLY (w/o Rear No. 2 Seat)
24. INSTALL LOWER CENTER PILLAR GARNISH RH  
(See page [IR-56](#))
25. INSTALL LOWER CENTER PILLAR GARNISH LH  
(See page [IR-56](#))

**IR**

26. INSTALL REAR DOOR OPENING TRIM WEATHERSTRIP RH
27. INSTALL REAR DOOR OPENING TRIM WEATHERSTRIP LH
28. INSTALL REAR DOOR SCUFF PLATE RH (See page [IR-57](#))
29. INSTALL REAR DOOR SCUFF PLATE LH (See page [IR-57](#))
30. INSTALL FRONT DOOR OPENING TRIM WEATHERSTRIP RH
31. INSTALL FRONT DOOR OPENING TRIM WEATHERSTRIP LH
32. INSTALL COWL SIDE TRIM BOARD RH (See page [IR-59](#))
33. INSTALL COWL SIDE TRIM BOARD LH (See page [IR-59](#))
34. INSTALL FRONT DOOR SCUFF PLATE RH (See page [IR-59](#))
35. INSTALL FRONT DOOR SCUFF PLATE LH (See page [IR-59](#))
36. INSTALL REAR CONSOLE BOX SUB-ASSEMBLY (See page [IP-26](#))
37. INSTALL NO. 1 INSTRUMENT PANEL BRACKET COVER INNER RH (See page [IP-26](#))
38. INSTALL NO. 1 INSTRUMENT PANEL BRACKET COVER INNER LH (See page [IP-26](#))
39. INSTALL CONSOLE REAR END PANEL (See page [IP-26](#))
40. INSTALL UPPER REAR CONSOLE PANEL SUB-ASSEMBLY (See page [IP-27](#))
41. INSTALL CONSOLE CUP HOLDER BOX (See page [IP-27](#))
42. INSTALL SWITCH BASE (See page [IP-27](#))
43. INSTALL UPPER CONSOLE PANEL SUB-ASSEMBLY (See page [IP-27](#))
44. INSTALL NO. 2 CONSOLE UPPER PANEL GARNISH (See page [IP-28](#))
45. INSTALL NO. 1 CONSOLE UPPER PANEL GARNISH (See page [IP-28](#))
46. INSTALL REAR NO. 1 SEAT ASSEMBLY LH  
(a) Install the rear No. 1 seat (see page [SE-64](#)).
47. INSTALL REAR NO. 1 SEAT ASSEMBLY RH  
(a) Install the rear No. 1 seat (see page [SE-97](#)).

**48. INSTALL FRONT SEAT ASSEMBLY LH**

- (a) Install the front seat.
  - for Manual Seat (see page [SE-22](#))
  - for Power Seat (see page [SE-37](#)).

**49. INSTALL FRONT SEAT ASSEMBLY RH**

- (a) Install the front seat.
  - for Manual Seat (see page [SE-22](#))
  - for Power Seat (see page [SE-37](#))

**50. CONNECT CABLE TO NEGATIVE BATTERY TERMINAL****51. CHECK SRS WARNING LIGHT**

- (a) Check the SRS warning light (see page [RS-37](#)).

IR